

Report Number:	23-012170/D002.R000
Report Date:	10/19/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	10/12/23 10:34

Customer:	Jam'n Hemp Co.
Product identity:	Live D9 Gummy- Sour Apple- 20mg
Client/Metrc ID:	3008RC-092723
Laboratory ID:	23-012170-0001

## Summary

Analyte	Result	Limits	Units	Status	THC-Total per Serving Size 18.1 mg/7g
CBD-A	0.0290		%		
CBG	0.0101		%		+
∆9-THC	0.259		%		CBD-Total per Serving Size 1.78 mg/7g
Analyte per 7g	Result	Limits	Units	Status	(Reported in milligrams per serving)
CBD-A per 7g	2.03		mg/7g		
CBG per 7g	0.707		mg/7g		
∆9-THC per 7g	18.1		mg/7g		

\_ \_ \_ \_ \_

\_ \_ \_ \_ \_ \_ \_ \_ \_

Less than LOQ for all analytes.

### Microbiology:

Less than LOQ for all analytes.

\_ \_ \_ \_ \_ \_ \_ \_

Page 1 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



Report Number:	23-012170/D002.R000
Report Date:	10/19/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	10/12/23 10:34

Customer:	Jam'n Hemp Co. 15259 Cape Dr N Jacksonville, FL, 32226 United States of America (USA)
Product identity:	Live D9 Gummy- Sour Apple- 20mg
Client/Metrc ID:	3008RC-092723
Sample Date:	
Laboratory ID:	23-012170-0001
Evidence of Cooling:	No
Temp:	18.1 °C
Relinquished by:	client
Serving Size #1:	7 g

# **Sample Results**

Potency	Method: J AOAC 2015 V	98-6 (mod) <sup>p</sup>	Units %	Batch: 2311861	Analyze: 10/13/23 8:39:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD	< LOQ		%	0.00315	
CBD-A	0.0290		%	0.00315	
CBD-Total	0.0254		%	0.00591	
CBG	0.0101		%	0.00315	
CBG-A	< LOQ		%	0.00315	
CBG-Total	0.0101		%	0.00588	
CBN	< LOQ		%	0.00315	
Δ10-THC-9R	< LOQ		%	0.00315	
Δ10-THC-9S	< LOQ		%	0.00315	
$\Delta 10$ -THC-Total	< LOQ		%	0.00630	
∆8-THC	< LOQ		%	0.00315	
∆9-THC	0.259		%	0.00315	
THC-A	< LOQ		%	0.00315	
THC-Total	0.259		%	0.00591	
Total Cannabinoids	0.298		%		

Potency per 7g	Method: J AOAC 2015	/98-6 (mod)⊧	Units mg/se Ba	atch: 2311861	Analyze: 10/13/23 8:39:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 7g	< LOQ		mg/7g	0.221	
CBD-A per 7g	2.03		mg/7g	0.221	
CBD-Total per 7g	1.78		mg/7g	0.414	
CBG per 7g	0.707		mg/7g	0.221	
CBG-A per 7g	< LOQ		mg/7g	0.221	
CBG-Total per 7g	0.707		mg/7g	0.412	
CBN per 7g	< LOQ		mg/7g	0.221	
∆10-THC-9R per 7g	< LOQ		mg/7g	0.221	
∆10-THC-9S per 7g	< LOQ		mg/7g	0.221	
$\Delta 10$ -THC-Total per 7g	< LOQ		mg/7g	0.441	
∆8-THC per 7g	< LOQ		mg/7g	0.221	
∆9-THC per 7g	18.1		mg/7g	0.221	

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



Report Number:	23-012170/D002.R000
Report Date:	10/19/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	10/12/23 10:34

Potency per 7g	Method: J AOAC 2015 V	98-6 (mod) <sup>p</sup>	Units mg/se Ba	tch: 2311861	Analyze: 10/13/23 8:39:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
THC-A per 7g	< LOQ		mg/7g	0.221	
THC-Total per 7g	18.1		mg/7g	0.414	

Analyte	Result Li	imits	Units	LOQ	Batch	Analyzed Method	Status Notes
Aerobic Plate Count	< LOQ		cfu/g	10	2311804	10/15/23 AOAC 990.12 (Petrifilm) <sup>b</sup>	
E.coli	< LOQ		cfu/g	10	2311802	10/15/23 AOAC 991.14 (Petrifilm) <sup>b</sup>	
Total Coliforms	< LOQ		cfu/g	10	2311802	10/15/23 AOAC 991.14 (Petrifilm) <sup>b</sup>	
Staphylococcus aureus	< LOQ		cfu/g	10	2311806	10/14/23 AOAC 2003.07	
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2311803	10/15/23 AOAC 2014.05 (RAPID) <sup>b</sup>	
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2311803	10/15/23 AOAC 2014.05 (RAPID) <sup>b</sup>	
Listeria spp.	Negative		/g		2311810	10/14/23 AOAC 2019.10	
Salmonella spp. by PCR <sup>*</sup>	Negative		/g		2311808	10/14/23 AOAC 2020.02 <sup>b</sup>	
EHEC including STEC <sup>*</sup>	Negative		/g		2311809	10/14/23 AOAC RI 121806 <sup>b</sup>	

Metals							
Analyte	Result	Limits	Units	LOQ E	Batch	Analyzed Method	Status Notes
Arsenic <sup>¥</sup>	< LOQ	0.200	mg/kg	0.0180 2	2311932	10/17/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass
Cadmium <sup>¥</sup>	< LOQ	0.200	mg/kg	0.0180 2	2311932	10/17/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass
Lead <sup>¥</sup>	< LOQ	0.500	mg/kg	0.0180 2	2311932	10/17/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass
Mercury <sup>¥</sup>	< LOQ	0.100	mg/kg	0.009012	2311932	10/17/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass

Mycotoxins								
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B2 <sup>¥</sup>	< LOQ		µg/kg	5.00	2311938	10/18/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>		
Aflatoxin B1 <sup>¥</sup>	< LOQ		µg/kg	5.00	2311938	10/18/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>		
Aflatoxin G1 <sup>¥</sup>	< LOQ		µg/kg	5.00	2311938	10/18/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>		
Aflatoxin G2 <sup>¥</sup>	< LOQ		µg/kg	5.00	2311938	10/18/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>		
Ochratoxin A <sup>¥</sup>	< LOQ	20.0	µg/kg	5.00	2311938	10/18/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	pass	
Total Aflatoxins <sup>¥</sup>	0.000	20.0	µg/kg	20.0		10/19/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	pass	

 Www.columbialaboratories.com
 Page 3 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390
 OAR 333-007-0430



 Report Number:
 23-012170/D002.R000

 Report Date:
 10/19/2023

 ORELAP#:
 OR100028

 Purchase Order:
 10/12/23 10:34

### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>b</sup> = ISO/IEC 17025:2017 accredited method.

<sup>\*</sup> = TNI accredited analyte.

### Units of Measure

cfu/g = Colony forming units per gram g = g μg/kg = Micrograms per kilogram = parts per billion (ppb) mg/kg = Milligram per kilogram = parts per million (ppm) mg/7g = Milligram per 7g /g = Per gram % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



Report Number:	23-012170/D002.R000
Report Date:	10/19/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	10/12/23 10:34

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lab	oratory	/ Quality Cor	ntrol Result	:S		
J AOAC 2015 V98-									
Laboratory Contro									
Analyte	LCS	Result	Spike	Units	% Rec	Lim	its	Evaluation	Notes
CBDVA	2	0.0325	0.0333	%	97.6	80.0 -	120	Acceptable	
CBDV	2	0.0318	0.0324	%	98.3	80.0 -	120	Acceptable	
CBE	2	0.0347	0.0355	%	97.8	80.0 -	120	Acceptable	
CBDA	1	0.0306	0.0322	%	95.0	90.0 -	110	Acceptable	
CBGA	1	0.0306	0.0329	%	92.9	80.0 -	120	Acceptable	
CBG	1	0.0349	0.0368	%	94.9	80.0 -	120	Acceptable	
CBD	1	0.0307	0.0313	%	98.0	90.0 -	110	Acceptable	
THCV	2	0.0302	0.0304	%	99.4	80.0 -	120	Acceptable	
18THCV	2	0.0291	0.0305	%	95.5	80.0 -	120	Acceptable	
THCVA	2	0.0320	0.0327	%	97.9	80.0 -	120	Acceptable	
CBN	1	0.0305	0.0329	%	92.7	80.0 -	120	Acceptable	
exo-THC	2	0.0312	0.0327	%	95.6	80.0 -	120	Acceptable	
19THC	1	0.0365	0.0365	%	100.0	90.0 -	110	Acceptable	
18THC	1	0.0309	0.0340	%	90.8	90.0 -	110	Acceptable	
9S-d10THC	1	0.0322	0.0337	%	95.6	80.0 -	120	Acceptable	
CBL	2	0.0343	0.0337	%	102	80.0 -	120	Acceptable	
9R-d10THC	1	0.0304	0.0336	%	90.4	80.0 -	120	Acceptable	
CBC	2	0.0323	0.0338	%	95.3	80.0 -	120	Acceptable	
THCA	1	0.0315	0.0337	%	93.4	90.0 -	110	Acceptable	
CBCA	2	0.0325	0.0333	%	97.6	80.0 -	120	Acceptable	
CBLA	2	0.0334	0.0349	%	95.8	80.0 -	120	Acceptable	
19THCP	2	0.0332	0.0333	%	99.7	80.0 -	120	Acceptable	
CBT	2	0.0305	0.0322	%	94.6	80.0 -	120	Acceptable	
Method Blank			-						
Analyte		esult	LOQ		Units	Lim		Evaluation	Notes
CBDVA		LOQ	0.00328		%	< 0.0		Acceptable	
CBDV		LOQ	0.00328		%	< 0.0		Acceptable	
CBE		LOQ	0.00328		%	< 0.0		Acceptable	
CBDA		LOQ	0.00328		%	< 0.0		Acceptable	
CBGA		LOQ	0.00328		%	< 0.0	0328	Acceptable	
CBG		LOQ	0.00328						
CBD	<				%	< 0.0	0328	Acceptable	
THCV		loq	0.00328		%	< 0.0	0328 0328	Acceptable Acceptable	
	<	LOQ	0.00328		%	< 0.0 < 0.0	0328 0328 0328	Acceptable Acceptable Acceptable	
	<		0.00328 0.00328		% % %	< 0.0 < 0.0 < 0.0	0328 0328 0328 0328 0328	Acceptable Acceptable Acceptable Acceptable	
THCVA	< < <		0.00328 0.00328 0.00328		% % %	< 0.0 < 0.0 < 0.0 < 0.0	D328 D328 D328 D328 D328 D328 D328	Acceptable Acceptable Acceptable Acceptable Acceptable	
THCVA CBN	ا> حا حا حا	LOQ LOQ LOQ LOQ	0.00328 0.00328 0.00328 0.00328		% % % %	< 0.0 < 0.0 < 0.0 < 0.0 < 0.0	D328 D328 D328 D328 D328 D328 D328 D328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
THCVA CBN exo-THC		LOQ LOQ LOQ LOQ LOQ	0.00328 0.00328 0.00328 0.00328 0.00328		% % % % %	< 0.00 < 0.00 < 0.00 < 0.00 < 0.00 < 0.00	D328 D328 D328 D328 D328 D328 D328 D328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
THCVA CBN exo-THC I9THC		100 100 100 100 100 100 100	0.00328 0.00328 0.00328 0.00328 0.00328 0.00328		% % % % %	< 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0	0328 0328 0328 0328 0328 0328 0328 0328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
THCVA CBN exo-THC 19THC 18THC		LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328		% % % % % %	< 0.00 < 0.00 < 0.00 < 0.00 < 0.00 < 0.00 < 0.00 < 0.00 < 0.00	0328 0328 0328 0328 0328 0328 0328 0328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
HCVA CBN INCONTHC INTHC INTHC INCONTHC	ک حر حر حر حر حر حر حر حر حر حر حر حر حر	LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328		% % % % % % %	<pre>&lt; 0.0 &lt; 0.0 </pre>	0328 0328 0328 0328 0328 0328 0328 0328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
THCVA CBN exo-THC J9THC J8THC J8THC DS-d10THC CBL		100 100 100 100 100 100 100 100 100 100	0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328		% % % % % % % %	<pre>&lt; 0.00 &lt; 0.00 </pre>	0328 0328 0328 0328 0328 0328 0328 0328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
THCVA CBN 2xo-THC 39THC 48THC 55-d10THC CBL 0R-d10THC	 	LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328		% % % % % % % % %	<pre>&lt; 0.00 &lt; 0.00 </pre>	0328 0328 0328 0328 0328 0328 0328 0328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
FHCVA EBN exo-THC 19THC 18THC 55-d10THC EBL 9R-d10THC EBC	ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا	LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328		% % % % % % % % % % %	<pre>&lt; 0.0 &lt; 0.0 </pre>	0328 0328 0328 0328 0328 0328 0328 0328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
HCVA EBN EXO-THC 19THC 18THC 18THC 18-C 18-C 18-C 19TH	د د د د د د د د د د د د د د د د د د د	100 100 100 100 100 100 100 100 100 100	0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328		% % % % % % % % % % %	<pre>&lt; 0.0 &lt; 0.0 </pre>	0328 0328 0328 0328 0328 0328 0328 0328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
HCVA EBN exxo-THC 19THC 18THC ESC ESC HCA ESC HCA ESCA	द द द द द द द द द द द द द द द द द द द	00 00 00 00 00 00 00 00 00 00 00 00 00	0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328		%           %	<pre>&lt; 0.0 &lt; 0.0 </pre>	0328 0328 0328 0328 0328 0328 0328 0328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
18THCV FHCVA EN EN 280-THC 19THC 19THC 19THC 28-010THC 28C 28C-010THC 28C 28C 1HCA 28CA 28LA	د ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح	100 100 100 100 100 100 100 100	0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328		% % % % % % % % % % % % % % %	<pre>&lt; 0.0 &lt; 0.0 </pre>	0328 0328 0328 0328 0328 0328 0328 0328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
FHCVA CBN exo-THC 19THC 18THC DS-d10THC CBL CBC CBC THCA CBCA	य य य य य य य य य य य य य य य य य य य	00 00 00 00 00 00 00 00 00 00 00 00 00	0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328 0.00328		%           %	<pre>&lt; 0.0 &lt; 0.0 </pre>	0328 0328 0328 0328 0328 0328 0328 0328	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	

CBT Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 5 of 8
<u>www.columbialaboratories.com</u>
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester except on the tester of tester of the tester of the tester of testero of tester of tester of tester of tester of testero of tester o



Report Number:	23-012170/D002.R000
Report Date:	10/19/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	10/12/23 10:34

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lai	oratory	Quality Cor	ntrol Results			
J AOAC 2015 V98-6	Batch ID: 2311861								
Sample Duplicate			Sample ID: 23-004463-0003						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
CBG	0.0214	0.0211	0.00322	%	1.53	< 20	Acceptable		
CBD	0.706	0.696	0.00322	%	1.38	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
CBC	0.00625	0.00614	0.00322	%	1.83	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
d9THCP	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00322</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00322	%	NA	< 20	Acceptable		

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

#### Units of Measure:

% - Percent

Page 6 of 8
www.columbialaboratories.com
Page 6 of 8
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Test results results are used to the samples as the samples are used to the samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.



Report Number:	23-012170/D002.R000
Report Date:	10/19/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	10/12/23 10:34

 Page 7 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390
 OAR 333-007-0430



23-012170/D002.R000 **Report Number: Report Date:** 10/19/2023 **ORELAP#:** OR100028 **Purchase Order:** 10/12/23 10:34 **Received:** 

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0430
 OAR 333-007-0430